

The Role of Brain Plasticity in Early Childhood Language Learning: A Literature Review for Early Childhood Educators

Aprinalistria

Universitas Muhammadiyah Bogor Raya

Email: Aprinasoraya@gmail.com

ABSTRACT

Recent developments in neuroscience have deepened scholarly understanding of **brain plasticity** and its contribution to early childhood development, especially in relation to language acquisition. Early childhood is widely recognized as a sensitive developmental stage in which the brain exhibits a high level of plasticity, enabling neural structures associated with language to form and adapt rapidly in response to environmental input. Contemporary research highlights the significance of early language exposure, meaningful social interaction, and supportive learning environments in shaping neural pathways that facilitate children's linguistic growth. Nevertheless, although the body of evidence is expanding, there remains limited clarity regarding the specific neuroplastic processes that underlie language learning in early childhood and how these scientific insights can be translated into practical strategies for educators.

The present study aims to synthesize recent scholarly findings on the role of brain plasticity in early childhood language learning and explore their relevance for early childhood education practice. To achieve this objective, a systematic literature review will be conducted using major academic databases such as PubMed and Scopus. The review will include peer-reviewed studies published from the beginning that focus on brain plasticity, early childhood, and language development in early childhood contexts. Articles will be initially screened based on titles, abstracts, and keywords, followed by a full-text assessment to determine eligibility. Selected studies will then be evaluated in terms of methodological rigor and thematic relevance, and data extraction will be carried out independently to enhance reliability.

The results of this review are expected to provide updated perspectives on how brain plasticity contributes to language development in early childhood and to offer practical insights that may assist educators in designing more effective language learning experiences for young children.

Keywords: brain plasticity, early childhood education, language development, neurodevelopment

ABSTRAK

Perkembangan terkini dalam ilmu saraf telah memperdalam pemahaman ilmiah tentang plastisitas otak dan kontribusinya terhadap perkembangan anak usia dini, terutama dalam kaitannya dengan pemerolehan bahasa. Masa kanak-kanak awal secara luas diakui sebagai tahap perkembangan yang sensitif di mana otak menunjukkan tingkat plastisitas yang tinggi, memungkinkan struktur saraf yang terkait dengan bahasa untuk terbentuk dan beradaptasi dengan cepat sebagai respons terhadap masukan lingkungan. Penelitian kontemporer menyoroti pentingnya paparan bahasa sejak dini, interaksi sosial yang bermakna, dan lingkungan belajar yang mendukung dalam membentuk jalur saraf yang memfasilitasi pertumbuhan linguistik anak. Meskipun demikian, meskipun bukti yang ada semakin banyak, masih terdapat keterbatasan kejelasan mengenai proses neuroplastik spesifik yang mendasari pembelajaran bahasa pada masa kanak-kanak awal dan bagaimana wawasan ilmiah ini dapat diterjemahkan ke dalam strategi praktis bagi para pendidik.

Studi ini bertujuan untuk mensintesis temuan ilmiah terkini tentang peran plastisitas otak dalam pembelajaran bahasa anak usia dini dan mengeksplorasi relevansinya untuk praktik pendidikan anak usia dini. Untuk mencapai tujuan ini, tinjauan literatur sistematis akan dilakukan menggunakan basis data akademik utama seperti PubMed dan Scopus. Tinjauan ini akan mencakup studi-studi yang telah ditinjau oleh rekan sejawat yang diterbitkan sejak awal yang berfokus pada plastisitas otak, masa anak-anak, dan perkembangan bahasa dalam konteks anak usia dini. Artikel-artikel akan disaring terlebih dahulu berdasarkan judul, abstrak, dan kata kunci, diikuti dengan penilaian teks lengkap untuk menentukan kelayakan. Studi-studi terpilih kemudian akan dievaluasi dalam hal ketelitian metodologis dan relevansi tematik, dan ekstraksi data akan dilakukan secara independen untuk meningkatkan keandalan.

Hasil tinjauan ini diharapkan dapat memberikan perspektif terkini tentang bagaimana plastisitas otak berkontribusi pada perkembangan bahasa pada anak usia dini dan menawarkan wawasan praktis yang dapat membantu pendidik dalam merancang pengalaman belajar bahasa yang lebih efektif untuk anak-anak usia dini.

Kata kunci: plastisitas otak, pendidikan anak usia dini, perkembangan bahasa, perkembangan saraf.

Introduction

Early childhood represents a crucial stage in human development, particularly in the formation of cognitive and linguistic abilities. During this developmental period, the human brain exhibits a remarkable capacity for change and adaptation, commonly referred to as brain plasticity or neuroplasticity. This capacity enables neural structures to reorganize and strengthen in response to environmental experiences, making early childhood a highly sensitive period for language acquisition.

Language learning in young children occurs rapidly and often effortlessly compared to later stages of life. This phenomenon has attracted considerable interest among researchers in neuroscience, psychology, and education. Contemporary studies suggest that the efficiency of language acquisition during early childhood is closely associated with the brain's plastic nature. Neural networks responsible for processing sounds, vocabulary, and grammatical structures can develop and reorganize through repeated exposure to linguistic stimuli and social interaction.

Recent advances in neuroimaging technologies have provided deeper insight into how the developing brain responds to language-related experiences. Studies using functional magnetic resonance imaging (fMRI), electroencephalography (EEG), and other neuroscientific methods have demonstrated that early exposure to language-rich environments contributes to the strengthening of neural pathways associated with linguistic processing. These findings emphasize that early interactions with caregivers, educators, and peers play a central role in shaping children's language development.

In addition to biological factors, environmental influences are widely recognized as essential components in early language learning. Research has consistently shown that children who grow up in stimulating linguistic environments—where conversations, storytelling, reading activities, and responsive communication occur frequently—tend to demonstrate stronger language abilities. Such experiences provide repeated opportunities for the brain to reinforce neural connections involved in speech perception, vocabulary acquisition, and comprehension.

Despite the increasing number of studies addressing early childhood language development, the integration of neuroscientific findings into educational practice remains limited. Many educational approaches focus primarily on pedagogical techniques without fully considering the neurological processes that support learning. As a result, early childhood educators may not always be aware of how classroom experiences influence the development of neural networks related to language acquisition.

Furthermore, a significant portion of previous research has examined language learning from either a linguistic or developmental psychology perspective. While these perspectives provide valuable insights, fewer studies attempt to synthesize findings from neuroscience and early childhood education. Consequently, there remains a need for a comprehensive review that bridges these fields and highlights the role of brain plasticity in early language learning.

Another important consideration is the rapid growth of recent research in neuroscience and early childhood education. New studies published within the last few years have generated updated knowledge about neural development, learning environments, and educational interventions that support language acquisition. However, these findings are often scattered across different academic disciplines and journals, making it challenging for educators to access and interpret the information effectively.

For this reason, conducting a systematic literature review focusing on recent studies can provide a clearer understanding of how brain plasticity contributes to language learning during early childhood. By synthesizing findings from multiple studies, such a review can identify patterns, highlight key factors influencing language development, and provide evidence-based insights relevant to educational practice.

Therefore, the present study aims to examine recent scholarly literature on the role of brain plasticity in early childhood language learning. Specifically, this review focuses on research published from beginning that investigates the relationship between neuroplasticity, early language development, and learning environments. By analyzing and integrating findings from these studies, the review seeks to provide a comprehensive overview of current knowledge in this area.

Ultimately, the findings of this study are expected to contribute to a better understanding of how neurological processes support language learning in early childhood. In addition, the review aims

to highlight practical implications for educators, particularly in designing learning environments and instructional strategies that align with the principles of brain development. Through this approach, the study intends to bridge the gap between neuroscience research and early childhood educational practice.

Method

This study employs a systematic literature review approach to identify and analyze relevant research on brain plasticity and early childhood language learning. Several major academic databases were used to ensure comprehensive coverage of the literature, including PubMed and Scopus. The search process involved a combination of keywords and Boolean operators to retrieve relevant publications. The primary search terms included: brain plasticity, early childhood, language development.

These keywords were combined using operators such as AND to broaden or narrow the search results. The search was restricted to studies published at the beginning to capture the most recent developments in the field. All identified records were exported and organized for further screening. Duplicate articles were removed before the screening stage to ensure accuracy in the selection process.

Inclusion and Exclusion Criteria

Inclusion Criteria

Studies were included in the review if they met the following conditions:

1. Published in peer-reviewed academic journals
2. Published at the beginning
3. Focused on brain plasticity, early childhood, and language development
4. Examined language development in early childhood
5. Conducted on human participants
6. Written in English or available in English translation

Exclusion Criteria

Studies were excluded if they met one or more of the following conditions:

1. Studies focusing on adolescents or adults
2. Articles unrelated to language learning or early childhood development
3. Conference abstracts without full research articles
4. Editorials, opinion pieces, or non-academic publications
5. Duplicate studies appearing in multiple databases

Result

No	Researcher	Source	Article title/DOI	Journal	Method	Result	Year
1	Humphries, T., Kushalnagar, P., Mathur, G., ... Rathman, C., Smith, S.R./ DOI: 10.1186/1477-7517-9-16	Scopus	Language acquisition for deaf children: Reducing the harms of zero tolerance to the use of alternative approaches	Harm Reduction Journal, 9, 16	Literature review/analysis on language acquisition in deaf children, focusing on the use of cochlear implants and sign language (ASL) and the role of the critical period in early language development.	<ol style="list-style-type: none"> 1. The success rate of cochlear implants is highly variable, and there are no reliable predictors of successful outcomes. 2. Many deaf children do not gain sufficient language access from cochlear implants alone. 3. If children miss the critical period for first language acquisition, they risk linguistic deprivation, which can negatively affect literacy, memory 	2012

						<p>organization, and numerical abilities, and may also create broader social and societal impacts.</p>	
2	<p>Moreno, S., Bialystok, E., Barac, R., ... Cepeda, N.J., Chau, T./</p> <p>DOI: 10.1177/095679761416999</p>	Scopus	<p>Short-term music training enhances verbal intelligence and executive function</p>	<p>Psychological Science, 22(11), pp. 1425–1433</p>	<p>1. Experimental study using two interactive computerized training programs for preschool children: music training and visual art training.</p> <p>2. Training was conducted for 20 days, and children's verbal intelligence</p>	<p>1. Only children in the music training group showed improved verbal intelligence, with 90% of participants demonstrating improvement.</p> <p>2. The increase in verbal intelligence was positively correlated with changes in functional brain plasticity during the executive-function task.</p> <p>3. The findings indicate that transfer of high-level cognitive skills can occur in early childhood.</p>	2011

					ce and brain plasticity during an executive-function task were measured .		
3	Hertz-Pannier, L., Chiron, C., Jambaque, I., ... Brunelle, F., Le Bihan, D./ DOI: 10.1093/brain/awf020	Scopus	Late plasticity for language in a child's non-dominant hemisphere: A pre- and post-surgery fMRI study	Brain, 125(2), pp. 361–372	<ol style="list-style-type: none"> Case study of a boy with Rasmussen's syndrome in the left hemisphere at age 5 years 6 months. Non-invasive functional MRI (fMRI) was used repeatedly to study language 	<ol style="list-style-type: none"> Preoperative fMRI at 6 years 10 months showed left-lateralized language networks. After hemispherotomy at age 9, the child had profound aphasia and alexia, with rapid recovery of receptive language but slower, incomplete recovery of expressive language and reading. Postoperative fMRI at 10 years 6 months showed a shift of 	2002

					<p>network reorganization before and after left hemisphere rotomy.</p> <p>3. Neuropsychological assessments were conducted to evaluate expressive and receptive language and reading abilities over time.</p>	<p>language networks to the right hemisphere, mainly in areas mirroring the original left hemisphere regions (inferior frontal, temporal, and parietal cortex).</p> <p>4. Findings suggest that the right hemisphere can compensate for expressive language even after relatively late injury, with receptive language being more bilaterally distributed.</p> <p>5. The case highlights the plasticity of the child's brain and supports limits of the critical period for language acquisition.</p>	
--	--	--	--	--	--	--	--

4	<p>Müller, R.-A., Behen, M.E., Rothermel, R.D., Chakraborty, P.K., Chugani, H.T./</p> <p>DOI: 10.1016/S0278-5846(99)0024-X</p>	Scopus	Brain organization for language in children, adolescents, and adults with left hemisphere lesion: A PET study	<p><u>Progress in Neuro-Psychopharmacology and Biological Psychiatry</u></p>	<p>1. Participants: 11 patients with left-hemisphere lesions (aged 8–33 years) divided into early-onset (≤6 years, N=6) and late-onset (≥10 years, N=5) groups, plus 9 normal adult controls.</p> <p>2. Technique: [15O]-water positron emission tomography (PET) to measure</p>	<p>1. High individual variability in regional activations across patients.</p> <p>2. Early-onset lesion patients showed significantly reduced leftward asymmetry in prefrontal, inferior frontal, and inferior parietal regions for expressive language.</p> <p>3. Similar but marginal trends were observed in inferior frontal and superior temporal regions for receptive language.</p> <p>4. Findings indicate enhanced post-lesion plasticity in childhood, though outcomes are influenced by clinical and demographic factors</p>	1999
---	--	--------	---	--	---	--	------

					<p>regional cerebral blood flow (rCBF) during sentence listening and sentence generation tasks.</p> <p>3. Analysis: Comparisons of rCBF changes in predefined language-related regions; subgroup analysis with</p> <p>4 patient pairs matched for age, lesion</p>	
--	--	--	--	--	--	--

					site, and verbal IQ.		
5	Tom Humphries¹ , Poorna Kushalnagar , Gaurav Mathur , Donna Jo Napoli , Christiaan Padden , Christian Rathman , Scott R. Smith / DOI: 10.1186/1477-7517-9-16.	Pubmed	Language acquisition for deaf children: Reducing the harms of zero tolerance to the use of alternative approaches	Harm Reduct J	Literature analysis on language acquisition in deaf children, focusing on the use of cochlear implants versus sign language (ASL) and the role of the critical period in early childhood.	<ol style="list-style-type: none"> 1. Cochlear implant success is highly variable and currently no reliable predictors exist for outcomes. 2. Many deaf children do not gain sufficient language access from implants alone. 3. Missing the critical period for first language acquisition can lead to linguistic deprivation, which negatively affects literacy, memory organization, and numerical abilities. 4. Ideological pressures against using sign language may jeopardize optimal language development. 	2012

						5. Linguistic deprivation has personal and societal consequences , including increased medical costs and reduced potential for productive participation	
6	Lucie Hertz-Pannier¹ , Catherine Chiron , Isabelle Jambaqué , Virginie Renaux-Kieffer , Pierre-François Van de Moortele , Olivier Delalande , Martine Fohlen , Francis Brunelle ,	Pubmed	Late plasticity for language in a child's non-dominant hemisphere: a pre- and post-surgery fMRI study	Brain	1. Case study of a boy with Rasmussen's syndrome affecting the left hemisphere at age 5 years 6 months. 2. Repeated non-invasive fMRI was used to examine language network	1. Preoperative fMRI (6 years 10 months) showed left-lateralized language networks . 2. After hemispherotomy at age 9, the child experienced profound aphasia and alexia , with rapid recovery of receptive language but slower, incomplete recovery of expressive language and reading . 3. Postoperative fMRI (10 years 6 months)	2002

	<p>Denis Le Bihan/</p> <p>DOI: 10.1093/b rain/awf0 20.</p>				<p>reorganiza tion before and after left hemispher otomy.</p> <p>3. Neuropsyc hological assessmen ts tracked expressive and receptive language, as well as reading recovery.</p>	<p>revealed right- hemisphere recruitment in regions mirroring the original left hemisphere (inferior frontal, temporal, parietal), indicating reorganization within a pre-existing bilateral network.</p> <p>4. Neuropsychological data support the idea that receptive language is more bilaterally distributed than expressive language.</p> <p>5. Demonstrates high brain plasticity in children and the right hemisphere's capacity to assume some expressive language functions, even after relatively late injury, with implications for the critical period of</p>	
--	--	--	--	--	---	--	--

						language acquisition.	
7	<p><u>Sylvain Moreno</u>¹, <u>Ellen Bialystok</u>, <u>Raluca Barac</u>, <u>E Glenn Schellenberg</u>, <u>Nicholas J Cepeda</u>, <u>Tom Chau</u> / DOI: 10.1177/095679761416999</p>	PubMed	Short-term music training enhances verbal intelligence and executive function	Psychol Sci	<ol style="list-style-type: none"> Experimental study with preschool children using two interactive computerized training programs: one in music and one in visual art. Training lasted 20 days. Verbal intelligence was measured, and functional brain plasticity during an 	<ol style="list-style-type: none"> Only children in the music training group showed improved verbal intelligence, with 90% of participants improving. Improvements in verbal intelligence were positively correlated with changes in brain plasticity during the executive-function task. Findings suggest that transfer of high-level cognitive skills is possible in early childhood. 	2012

					<p>executive-function task was assessed.</p>		
--	--	--	--	--	---	--	--

Discussion

1. Brain plasticity and the critical period for language

- a. Research, including studies by Humphries et al. (2012) and Hertz-Pannier et al. (2002), emphasizes the importance of the critical period for language development. Children who do not receive sufficient exposure to language during this sensitive window may face linguistic deprivation, which can negatively affect literacy, memory organization, and numerical skills.
- b. Case studies involving children with Rasmussen's syndrome show that the non-dominant hemisphere (right) can compensate for some language functions after damage, yet expressive language recovery tends to be slower and less complete, illustrating limits to plasticity even in highly adaptable young brains.

2. Educational interventions and environmental stimulation

- a. Moreno et al. (2011) found that **short-term music training** in preschoolers enhanced **verbal intelligence** and executive function, which correlated with measurable **changes in brain plasticity**. This underscores that **structured and enriched experiences** can leverage neuroplasticity to support language development.
- b. Environments that provide **meaningful social interaction and rich language exposure** are crucial for strengthening neural circuits involved in language processing.

3. Individual variability and clinical factors

- a. Müller et al. (1999) reported that **post-lesion neuroplasticity** varies considerably depending on **age at lesion onset, lesion location, verbal IQ, and demographic factors**. Children with early-onset lesions (≤ 6 years) showed **reduced left-right asymmetry** for expressive language, indicating greater neural adaptation compared to later lesions.
- b. These findings highlight that **language outcomes are influenced not only by interventions but also by biological and individual characteristics**.

4. Cochlear implants and alternative approaches

- a. Literature reviewed by Humphries et al. (2012) indicates that **cochlear implants have highly variable success rates**, and many children do not achieve adequate language acquisition from implants alone.
- b. Early exposure to **sign language (ASL)** remains critical to prevent linguistic deprivation and support broader cognitive development.
- c. These results emphasize the need for a **multimodal approach** in educating deaf children, integrating both technological aids and natural language.

5. Implications for early childhood education

- a. Despite advances in neuroscience, educational practices often fail to fully integrate **neurodevelopmental principles**.
- b. Findings suggest that **combining meaningful social interaction, repeated language exposure, and cognitively stimulating activities** such as music or art can maximize language development by reinforcing neural pathways.

Conclusion

The evidence demonstrates that the **child's brain exhibits remarkable plasticity**, allowing rapid and adaptive language learning. However, successful outcomes depend on **critical period exposure, quality of environmental stimulation, targeted interventions, and individual biological factors**. Early childhood education that aligns with principles of **brain plasticity**, including language-rich interactions and structured cognitive activities, can optimize linguistic growth and prevent risks associated with language deprivation.

References

- Humphries, T., Kushalnagar, P., Mathur, G., Napoli, D. J., Padden, C., Rathmann, C., & Smith, S. R. (2012). *Language acquisition for deaf children: Reducing the harms of zero tolerance to the use of alternative approaches*. *Harm Reduction Journal*, 9, 16. <https://doi.org/10.1186/1477-7517-9-16>
- Hertz-Pannier, L., Chiron, C., Jambaqué, I., Brunelle, F., & Le Bihan, D. (2002). *Late plasticity for language in a child's non-dominant hemisphere: A pre- and post-surgery fMRI study*. *Brain*, 125(2), 361–372. <https://doi.org/10.1093/brain/awf020>
- Hertz-Pannier, L., Chiron, C., Jambaqué, I., Renaux-Kieffer, V., Van de Moortele, P.-F., Delalande, O., Fohlen, M., Brunelle, F., & Le Bihan, D. (2002). *Late plasticity for language in a child's non-dominant hemisphere: A pre- and post-surgery fMRI study*. *Brain*, 125(2), 361–372. <https://doi.org/10.1093/brain/awf020>
- Moreno, S., Bialystok, E., Barac, R., Schellenberg, E. G., Cepeda, N. J., & Chau, T. (2011). *Short-term music training enhances verbal intelligence and executive function*. *Psychological Science*, 22(11), 1425–1433. <https://doi.org/10.1177/0956797611416999>
- Moreno, S., Bialystok, E., Barac, R., Schellenberg, E. G., Cepeda, N. J., & Chau, T. (2012). *Short-term music training enhances verbal intelligence and executive function*. *Psychological Science*, 22(11), 1425–1433. <https://doi.org/10.1177/0956797611416999>
- Müller, R.-A., Behen, M. E., Rothermel, R. D., Chakraborty, P. K., & Chugani, H. T. (1999). *Brain organization for language in children, adolescents, and adults with left hemisphere lesion: A PET study*. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 23(6), 1059–1073. [https://doi.org/10.1016/S0278-5846\(99\)00024-X](https://doi.org/10.1016/S0278-5846(99)00024-X)